





















Bot. Name		Qualität	Größe
Taxus baccata		mB/Co	25-30
Kugeln & Halbkugeln			30-35
			35-40
			40-45
			45-50
			50-60
			60-70
			70-80
			80-90
			90-100
			100-110
			110-120
			120-130
			130-140
			140-150
			150-160
			160-170
			170-180
			180-190
			190-200
			200-210
Buxus semp. var. arborescens		mB/Co	20-25
Kugeln			25-30
			30-35
			35-40
			40-45
			45-50
			50-55
			55-60
			60-70
			70-80
			80-90
			90-100
			100-110
			110-120
			120-130
			140-150
			150-160
			160-170
			170-180
			190-200
			200-210
Buxus sempervirens 'Aureovariegata'		mB	35-40
Kugel			40-45
			45-50
			50-55
			60-70
			70-80



Buxus microphylla 'Faulkner'		mB/mDb	40-45
Kugeln			45-50
			50-55
			60-70
			70-80
			90-100
Ligustrum vulg. 'Atrovirens'		mB	90-100
Kugeln			100-110
			110-120
			120-130
			130-140
			140-160
Berberis buxifolia 'Nana'		C 20	30-35
Kugeln			35-40
			40-45
Berberis thunbergii 'Atropurpurea Nana'		C 10	30-35
Kugeln			35-40
			40-45
Fagus sylvatica		mB/mDb/C	30-40
Kugeln			40-50
			50-60
			70-80
			80-90
			90-100
			120-130
			140-150
			225-250
			250-275
Chamaecyparis laws. 'Minima Glauca'		mB/C	30-40
			50-60
Thuja occidentalis		mDb	225-250
Kugeln			250-275
Thuja occidentalis 'Danica'		mB/mDb/C	25-30
			30-40
			40-50
			70-80
			80-90
			80-100
			100-125
			175-200
			200-250
Thuja occidentalis 'Sunkist'		mDb/C	70-80
Kugeln			110-120
			120-130
			130-140
			140-150
			160-170



Thuja occidentalis 'Tiny Tim'			mB/mDb/C	70-80	
				80-90	
				90-100	
				80-100	
				100-110	
Thuja plicata 'Aurescens'			mDb	90-100	
Kugeln				130-140	
				110-120	
				120-130	
				140-150	
				150-160	
				160-170	
				190-200	
Buxus sempervirens var.arborescens			mB/mDb	50-60	
Bienenkorb				60-70	
				70-80	
				80-90	
				90-100	
				100-110	
				120-140	
				150-160	
				180-200	
Buxus sempervirens 'Rotundifolia'				mB	100-110
Bienenkorb					
Fagus sylvatica			mDb	150	
Bienenkorb				160	
				180	
				200-225	
				225	
				250	
				300-350	
Fagus sylvatica purpurea			mDb	250-275	
Bienenkorb					
Taxus baccata Bienenkorb			mB	100-125	
				125-150	
				170-180	mst
				175-200	
				200	
				225-250	
Thuja plicata			mDb	300-350	
Bienenkorb				350-400	
				400-450	
				450-500	

Thuja plicata 'Aurescens'			mDb	250-300
Bienenkorb				350-400
				400-450
				450-500
Buxus sempervirens var.arborescens			mDb	50-55
Kästen				100-120
			br 50-60	60
			br 50-60	70
			br 70-80	80
			br 60-70	80-90
			br 50-60	100
Taxus baccata			mDb	60
Kästen				65-65
				80-80
				90
				100-100
			br 100-110	30
			br 100-120	60
			br 120-140	70
			br 140-160	80
			br 140-160	70-80
			br 120	100
			br 140-160	100-110
			br 50-60	140-150
			br 80-90	170
			br 100-110	300-325
			br 80-90	300-325
			quadr.Säule	60-70
			quadr.Säule	80-85
			quadr.Säule	100-110
			quadr.Säule	110-120
			quadr.Säule	120-130
			quadr.Säule	125-150
			quadr.Säule	150-175
			quadr.Säule	175-200
			quadr.Säule	200-225
			quadr.Säule	250-275
			quadr.Säule	275-300
Carpinus betulus quadratische Säulen			mDb	400
			br 70	200-225
			br 50	225-250
			br 150	350
			br 100-110	450
			br 150-175	450
			br 150-175	500



Carpinus betulus 'Stegemann's Primus'		4xv mDb	350-400	
quadratische Säulen				
Fagus sylvatica	quadratische Säulen	mDb	70x70x100	
			70x70x220	
			70x70x275	
Fagus sylvatica purpurea		mDb	50x50x220	
quadratische Säulen			70x70x300	
			70x70x350	
			70x70x400	
Taxus baccata		mB/mDb/C	60-70	
Kegel			70-80	
			80-90	
			90-100	
			100-125	
			125-150	
			130-140	
			150-175	
			175-200	
			200	
			200-225	
			225-250	
			250-275	
			275-300	
			300-325	
			400-450	
			450-500	
Taxus baccata		mB/mDb	125-150	
Pyramide			120-130	
			130-140	
			150-175	
			200-225	
Buxus sempervirens var. arborescens		mB/mDb	70-80	
Kegel			90-100	
			110-120	
			120-130	
			130-140	
Carpinus betulus Kegel		mDb/C	250-300	
			300-350	
			350-400	
			400-450	
			500-550	
			600-700	
			700-800	



Carpinus betulus 'Fastigiata'			mDb	350-375	
Kegel				400-450	
				450-500	
				500-600	
Fagus sylvatica			C	200-225	
Kegel				250	
				300-350	
				450-500	
Thuja plicata 'Aurescens'			mDb	350-400	
Kegel				400-450	
				500-600	
Carpinus betulus			H 4xv mDb/C	20-25	
Dachform				25-30	
				25-30	
				30-35	
				35-40	
Platanus hispanica			H 4xv mDb/C	16-18	
Dachform				20-25	
				25-30	
				30-35	
				35-40	
			H 5xv mDb	40-45	
				45-50	
Platanus hispanica 'Alphens Globe'			H 3xv mDb	18-20	
Dachform				20-25	
Liquidambar styraciflua 'Pendula'			H 3xv mDb	18-20	
Dachform				20-25	
Liquidambar styraciflua & 'Worplesdon'			H 4xv mDb	25-30	
Dachform				30-35	
				35-40	
Amelanchier lamarckii Schirmformen mehrst.			mDb	200-250	
				250-300	
			4xv	300-350	
			5xv	300-350	
				350-400	
				400-450	
				450-500	

Amelanchier lamarckii Schirmformen mehrst.				500-600	
Carpinus betulus	Schirmform		mDb	300-350	
				350-400	
				400-450	
				450-500	
				600-700	
				700-800	
				800-900	
				900-1000	
				1000-1200	
			C 2Gst	160-180	
Cornus mas	Schirmform		mDb	250-300	
				300-350	
				400-450	
				450-500	
Crataegus coccinea & C. persimilis			4xv mDb	200-250	
Schirmform	Sol/mehrst.			250-300	
				300-350	
				350-400	
				400-450	
				450-500	
Crataegus lavalley 'Carrierei'			4xv mDb	300-350	
Schirmform	mehrst.			350-400	
				400-450	
Crataegus monogyna			5xv mDb	350-400	
Schirmform	mehrst.			400-450	
Parrotia persica			mDb	200-250	
Schirmform				300-350	
				350-400	
				400-450	
				450-500	
				500-600	
Chamaecyparis pis.'Boulevard'			mDb	300-350	
Schirmform				350-400	
				400-450	
				450-500	
				500-550	
Chamaecyparis pis.'Plumosa Aurea'			6xv mDb	600-700	
Schirmform	mehrst.				
Taxus baccata			mDb	160	
Schirmform	mehrst.			200-250	
				250	
				300	
				350-400	



Taxus baccata				400-450	
Schirmform				450-500	
				450-500	
				500-600	
				500-600	
				600-650	
			mDb 2Gst	200-250	
				250-300	
			C	400-500	
Thuja occidentalis			5xv mDb	350-400	
Schirmform	mehrst.			400-450	
Carpinus betulus Kugel auf Stamm			H 4xv mDb	25-30	KA 200
				35-40	KA 200
				30-35	KA 160
Fagus sylvatica			H 3xv/4xv mDb/C	14-16	
Kugel auf Stamm				16-18	
			KA 180	14-16	
			KA 180	16-18	
			KA 180	18-20	
			KA 180	20-25	
			KA 200	16-18	
			Sth 100	10-12	
			Sth 100	12-14	
			Sth 120	20-25	
			Sth 120	25-30	
			Sth 140	14-16	
			Sth 150	16-18	
			Sth 160	14-16	
			Sth 160	20-25	
			Sth 40	120-130	
			Sth 50	70-80	
			Sth 50	80-90	
Fagus sylvatica purpurea			C	80	
Kugel auf Stamm				10-12	
Chamaecyparis & Thuja in Sorten					
Kugel auf Stamm			H 4xv mDb	20-25	
				25-30	
			KA 180	20-25	
			KA 200	45-50	
			2 GSt. br 200-300	50	
			C 20	60	
			C 20	80	
			Sth 50	25-30	
			Sth 50	30-35	
			Sth 100	20-25	
			Sth 100	25-30	
			Sth.100	35-40	
			Sth.100	400-450	
			Sth 120	30-35	



Chamaecyparis & Thuja in Sorten		Sth 160	20-25	
Kugel auf Stamm		C 90 Sth.70	30-35	
		C 90 Sth.80	25-30	
Thuja occ. 'Columna'		Sth.100	30-35	
Taxus baccata		H 5xv mDb	30-35	
Kugel auf Stamm		St	40	
			60	
			80	
		verschied. Sth.	12-14	
			14-16	
			16-18	
			18-20	
			C 150 Sth.120	14-16
	C 150 Sth.120	18-20		
Prunus lusitanica		mDb/C	10-12	
Kugel auf Stamm			20-25	
			25-30	
			30-35	
			35-40	
Prunus lusitanica 'Angustifolia'		H 4xv mDb	18-20	
Kugel auf Stamm		H 5xv mDb	45-50	
		C	50-60	Sth
			8-10	
			10-12	
Carpinus betulus		H 3xv/4xv mDb	14-16	
Spalier			16-18	
			18-20	
			20-25	
			25-30	
			30-35	
			35-40	
			40-45	
			ha mDb	35-40
Fagus sylvatica		H 3xv/4xv mDb	14-16	
Spalier			16-18	
			18-20	
			20-25	
			25-30	
		ha mDb	25-30	
Fagus sylvatica purpurea		H 4xv mDb	20-25	
Spalier			25-30	

Liquidambar styraciflua & 'Worplesdon'			H 3xv/4xv mDb	12-14	
Spalier				14-16	
				16-18	
				18-20	
				20-25	
				25-30	
				30-35	
Malus 'Evereste'			H 4xv mDb	20-25	
Spalier					
Parrotia persica			H 4xv mDb	25-30	
Spalier					
Prunus lauroc.'Caucasica'			H 4xv mDb	14-16	
Spalier				16-18	
				18-20	
				20-25	
Pyrus calleryana 'Chanticleer'			H 4xv mDbr	25-30	
Spalier				30-35	
Tilia cordata, T. euchlora &			H 4xv mDb	20-25	
Spalier				25-30	
				30-35	
				35-40	
				40-45	
				45-50	
Tilia europaea 'Pallida'			H 4xv mDb	20-25	
				25-30	
				30-35	
			H 5xv mDb	35-40	
				40-45	
Obstbäume in Sorten Spalier			H/ ha mDb	16-18	
				18-20	
				20-25	
				25-30	
				30-35	
Cupressocyp. leyl.'Castlew. Gold'			H 5xv mDb	45-50	
Spalier					
Cupressocyparis leylandii			H 4xv mDb	14-16	
Spalier				16-18	
				18-20	
				20-25	
				25-30	
				30-35	
				35-40	



Obst in Sorten Doppel- U- Form C 40					
Malus 'Topaz' -S- CAC			C 40 UU-Form		
Prunus dom.'Hausz.' CAC			C 100 UU-Form		
Cydonia 'Vranja' CAC			C 35 UU-Form		
Obst Spalier			C	120	
			C	150-200	
Pyrus com. 'Conference'			5xv mDb Bu (30 Jahre alt)	300-350	
			6xv mDb Spalier,4 Etagen	300-350	
					
Intro: Fur Einzelstücke, wie z B					